

Who Can Convert Diagnostics from DSM-IVTR to DSM-V

Please remember only staff and licensed independent practitioners who are qualified by their licensure, scope of practice and job duties are authorized to diagnose consumers. Please check with your supervisor if you are unsure about your status in this regard.

DSM-V Code Reference Lists

- PCE is not able to embed a 'pick-list' style look-up in Phoenix for the DSM-V codes due to the sheer volume of codes. The pick list would be untenably long for users.
- Instead, PCE has included a search box for look-ups. By entering key words or codes in the search field, you will be provided with the sub-set of DSM-V codes that match your query, so you can select the correct option.
- At the end of this document is a list of the DSM-V codes from the Diagnostic and Statistical Manual of Mental Disorders Fifth Edition (DSM-V) from the American Psychiatric Association for your temporary reference so you can identify the best key words to use until you get used to the new DSM-V terminology. The manual list includes both the DSM-IVTR code if any, as well as the new DSM-V code.

We strongly recommend that all clinical departments (that have staff qualified to diagnose) purchase DSM-V Manuals for staff use. The code list is provided as a temporarily solution only during this transition period to ensure services to consumers are not disrupted.

DSM-V Code Specifiers

- PCE is not able to embed a look-up for the specifiers because the specifiers need to be written as free form text separated by commas, etc. Also there can be multiple specifiers per DSM-V code and some specifiers are already part of the main code.
- Users will need to reference a DSM-V Manual in order to learn what specifiers to use for a given code and consumer.
- Users will not be required to enter a specifier in order to complete a diagnosis and sign off. BABH is not required to report specifiers to MDHHS or other payers at this time.

BH-TEDS Requires Reporting of Three Mental Health Diagnoses

- BH-TEDS reporting calls for an accounting of the primary, secondary and tertiary mental health diagnoses for a consumer.
- If you happen to work with someone who has only one or two diagnoses, you do NOT need to populate all three code fields.
- Phoenix will default to reporting 999.9997 for the other diagnostic fields, which is not a valid ICD code and therefore will be a null value.

¹ Diagnostic and Statistical Manual of Mental Disorders Fifth Edition from the American Psychiatric Association

How to Convert from DSM-IVTR to DSM-V

This guidance is prepared based upon the clinical assessment. Prescribers using the diagnostic fields in the medical chart will see a slightly different presentation in Phoenix.

In the Diagnosis section, there is an icon and link for Conversion to DSM-V, 'Update Diagnosis to DSM-5'.

10. Clinical Assessment: Diagnosis

Client Diagnosis

 [Update Diagnosis to DSM-5](#)

	ICD-10	Description	Status Date	Status	
AXIS I	Pri F14.20	Cocaine dependence (DSM-IV) <i>This code and description are no longer valid</i> ⓘ	06/15/2015	Active	+ ≡
	Sec F01.50	Vasculardementia, uncomplicated (DSM-IV) <i>This code and description are no longer valid</i> ⓘ	01/23/2014	Active	≡
AXIS II	No Diagnoses Exist + Add Diagnosis				
AXIS III	Pri B18.2	Chronic viral hepatitis C (ICD-10)	02/02/2015	Active	+ ≡
AXIS IV	<input checked="" type="checkbox"/> Economic problems <input checked="" type="checkbox"/> Problem accessing healthcare <input type="checkbox"/> Educational problems <input type="checkbox"/> Occupational problems <input type="checkbox"/> Housing problems <input type="checkbox"/> Problem with primary support group <input type="checkbox"/> Problem related to social environment <input type="checkbox"/> Problem related to interaction with legal system <input type="checkbox"/> Other psychosocial and environmental problems <input type="checkbox"/> Behavioral / Personality issues				

When selected, the user will be taken to a new screen which is formatted for DSM-V, meaning there are primary, secondary, tertiary, etc. fields versus the axes.

10. Clinical Assessment: Diagnosis

Updating to DSM-5
 DSM-5 replaces the DSM-IV axial model. Axis 1-4 have already been combined into one list below. (The diagnoses are still labeled with their original axis until you save.) To finish switching this Consumer's diagnosis to DSM-5 you must update any diagnoses below that are marked as "no longer valid". Other diagnoses can be updated as well if the new DSM-5 description is no longer reflective of the problem. Click on a diagnosis to update it and select 'Change Diagnosis Code'. You can then search for a replacement diagnosis using DSM problem description or an ICD code. If you cannot find a matching DSM-5 problem, use the 'All' search option to find a valid ICD diagnosis code. Once all diagnoses are up-to-date, you may save to finalize the transition to DSM-5.

Client Diagnosis

	ICD-10	Description	Status Date	Status	
Pri Axis I	F14.20	Cocaine dependence (DSM-IV) <i>This code and description are no longer valid</i> ⓘ	06/15/2015	Active	+ ≡
Sec Axis I	F01.50	Major neurocognitive disorder probably due to vascular disease; Without behavioral disturbance (DSM-5) Specifier: <input type="text"/>	01/23/2014	Active	≡
Ter Axis III	B18.2	Chronic viral hepatitis C (ICD-10)	02/02/2015	Active	≡
Quat Axis IV ⓘ	No Map	Economic problems (DSM-IV) <i>This code and description are no longer valid</i> ⓘ	10/01/2015	Active	≡
Quin Axis IV ⓘ	No Map	Problem accessing healthcare (DSM-IV) <i>This code and description are no longer valid</i> ⓘ	10/01/2015	Active	≡

The Diagnostic History and Summary, Medical Conditions and Functional Assessment Measure fields will still be in the clinical assessment after conversion. These fields are intended to be used to capture information the user might normally include in the higher Axes.

10. Clinical Assessment: Diagnosis

Updating to DSM-5
 DSM-5 replaces the DSM-IV axial model. Axis 1-4 have already been combined into one list below. (The diagnoses are still labeled with their original axis until you save.) To finish switching this Consumer's diagnosis to DSM-5 you must update any diagnoses below that are marked as "no longer valid". Other diagnoses can be updated as well if the new DSM-5 description is no longer reflective of the problem. Click on a diagnosis to update it and select 'Change Diagnosis Code'. You can then search for a replacement diagnosis using DSM problem description or an ICD code. If you cannot find a matching DSM-5 problem, use the 'All' search option to find a valid ICD diagnosis code. Once all diagnoses are up-to-date, you may save to finalize the transition to DSM-5.

Client Diagnosis

	ICD-10	Description	Status Date	Status	
Pri Axis I	F14.20	Cocaine dependence (DSM-IV) This code and description are no longer valid ⓘ	06/15/2015	Active	⊕
Sec Axis I	FD1.50	Major neurocognitive disorder probably due to vascular disease; Without behavioral disturbance (DSM-5) Specifier: <input type="text"/>	01/23/2014	Active	☰
Ter Axis III	B18.2	Chronic viral hepatitis C (ICD-10)			
Quat Axis IV	No Map ⓘ	Economic problems (DSM-IV) This code and description are no longer valid ⓘ			
Quin Axis IV	No Map ⓘ	Problem accessing healthcare (DSM-IV) This code and description are no longer valid ⓘ			

There will be a bar icon on the right hand side of each diagnosis row, which will lead the user to a pick list to 'Change the Diagnosis Code' and then later, determine if the diagnosis chosen should be considered primary, secondary, etc.

10. Clinical Assessment: Diagnosis

Updating to DSM-5
 DSM-5 replaces the DSM-IV axial model. Axis 1-4 have already been combined into one list below. (The diagnoses are still labeled with their original axis until you save.) To finish switching this Consumer's diagnosis to DSM-5 you must update any diagnoses below that are marked as "no longer valid". Other diagnoses can be updated as well if the new DSM-5 description is no longer reflective of the problem. Click on a diagnosis to update it and select 'Change Diagnosis Code'. You can then search for a replacement diagnosis using DSM problem description or an ICD code. If you cannot find a matching DSM-5 problem, use the 'All' search option to find a valid ICD diagnosis code. Once all diagnoses are up-to-date, you may save to finalize the transition to DSM-5.

Client Diagnosis

	ICD-10	Description	Status Date	Status	
Pri Axis I	F14.20	Cocaine dependence (DSM-IV) This code and description are no longer valid ⓘ	06/15/2015	Active	☰
Sec Axis I	FD1.50	Major neurocognitive disorder probably due to vascular disease; Without behavioral disturbance (DSM-5) Specifier: <input type="text"/>	01/23/2014	Active	
Ter Axis III	B18.2	Chronic viral hepatitis C (ICD-10)	2/02/2014		
Quat Axis IV	No Map ⓘ	Economic problems (DSM-IV) This code and description are no longer valid ⓘ	11/01/2014		
Quin Axis IV	No Map ⓘ	Problem accessing healthcare (DSM-IV) This code and description are no longer valid ⓘ	10/01/2014		

Change Diagnosis Code

Update Sequence To:

- Secondary
- Tertiary
- Quaternary
- Quinary
- Close

Functional Assessment Measure
 * Select Functional Assessment Measure Score Date [Show Functional Assessment Measure History](#)
 Use Current Date

The search screen has a 'Description / Keywords or Code' search box. Use the list of codes at the end of this document to identify relevant codes or key words as needed. From the Diagnosis Codes that appear, 'Select' the desired code.

Select Diagnosis Code

Description / Keywords or Code:

SEARCH CANCEL

Type: All DSM-5 Only

2 Diagnosis Codes

ICD-10	Description	Mappings	
F14.20	Cocaine use disorder; Severe (DSM-5) ICD-10: Cocaine dependence, uncomplicated ICD-9: COCAINE DEPENDENCE UNSPECIFIED USE	ICD-9: 304.20 ⓘ	Select
F14.20	Cocaine use disorder; Moderate (DSM-5) ICD-10: Cocaine dependence, uncomplicated ICD-9: COCAINE DEPENDENCE UNSPECIFIED USE	ICD-9: 304.20 ⓘ	Select

For Axes IV and V, error messages will appear indicating 'No Map' and "This code and description are no longer valid". Both of these axes need to be deleted and the content incorporated into the 'Diagnostic History and Summary', and/or the 'Medical Conditions' text boxes as appropriate. For these rows, the bar icon will include a 'Delete' option.

10. Clinical Assessment: Diagnosis

Updating to DSM-5
DSM-5 replaces the DSM-IV axial model. Axis 1-4 have already been combined into one list below. (The diagnoses are still labeled with their original axis until you save.) To finish switching this Consumer's diagnosis to DSM-5 you must update any diagnoses below that are marked as "no longer valid". Other diagnoses can be updated as well if the new DSM-5 description is no longer reflective of the problem. Click on a diagnosis to update it and select 'Change Diagnosis Code'. You can then search for a replacement diagnosis using DSM problem description or an ICD code. If you cannot find a matching DSM-5 problem, use the 'All' search option to find a valid ICD diagnosis code. Once all diagnoses are up-to-date, you may save to finalize the transition to DSM-5.

Client Diagnosis

	ICD-10	Description	Status Date	Status	
Pri Axis I	F14.20	Cocaine use disorder; Severe (DSM-5) Specifier: <input type="text"/>	06/15/2015	Active	+ ≡
Sec Axis I	FD1.50	Major neurocognitive disorder probably due to vascular disease; Without behavioral disturbance (DSM-5) Specifier: <input type="text"/>	01/23/2014	Active	+ ≡
Ter Axis III	B18.2	Chronic viral hepatitis C (ICD-10)	02/02/2015	Active	+ ≡
Quat Axis IV	No Map ⓘ	Economic problems (DSM-IV) This code and description are no longer valid ⓘ	10/01/2015	Active	+ ≡
Quin Axis IV	No Map ⓘ	Problem accessing healthcare (DSM-IV) This code and description are no longer valid ⓘ	10/01/2015	Active	+ ≡

Change Diagnosis Code
Delete

Update Sequence To:
Primary
Secondary
Tertiary
Quinary
Close

Functional Assessment Measure

* Select Functional Assessment Measure Score Date

Diagnostic History and Summary
No change to medications. Testing

characters left: 4062

This is how a completed conversion will appear.

10. Clinical Assessment: Diagnosis					
Updating to DSM-5 DSM-5 replaces the DSM-IV axial model. Axis 1-4 have already been combined into one list below. (The diagnoses are still labeled with their original axis until you save.) To finish switching this Consumer's diagnosis to DSM-5 you must update any diagnoses below that are marked as "no longer valid". Other diagnoses can be updated as well if the new DSM-5 description is no longer reflective of the problem. Click on a diagnosis to update it and select 'Change Diagnosis Code'. You can then search for a replacement diagnosis using DSM problem description or an ICD code. If you cannot find a matching DSM-5 problem, use the 'All' search option to find a valid ICD diagnosis code. Once all diagnoses are up-to-date, you may save to finalize the transition to DSM-5.					
Client Diagnosis					
	ICD-10	Description	Status Date	Status	+
Pri Axis I	F14.20	Cocaine use disorder; Severe (DSM-5) Specifier: <input type="text"/>	06/15/2015	Active	≡
Sec Axis I	F01.50	Major neurocognitive disorder probably due to vascular disease; Without behavioral disturbance (DSM-5) Specifier: <input type="text"/>	01/23/2014	Active	≡
Ter Axis III	B18.2	Chronic viral hepatitis C (ICD-10)	02/02/2015	Active	≡
Functional Assessment Measure					
* Select Functional Assessment Measure <input type="text"/>		Score <input type="text"/>	Date <input type="text"/>	Show Functional Assessment Measure History	
Use Current Date					
Diagnostic History and Summary					
No change to medications. Testing					
characters left: 4062					
Additional Information / Help					
Medical Conditions					
Test					

This document will also be saved to the Phoenix Help Tab. Please call with any questions.

ATTACHMENT

Diagnostic and Statistical Manual
Of
Mental Disorders Fifth Edition (DSM-V)


American Psychiatric Association

Code Listing

² Diagnostic and Statistical Manual of Mental Disorders Fifth Edition from the American Psychiatric Association

DIAGNOSTIC AND STATISTICAL
MANUAL OF
MENTAL DISORDERS
FIFTH EDITION

DSM-5™



AMERICAN PSYCHIATRIC ASSOCIATION

DSM-5 Classification

Before each disorder name, ICD-9-CM codes are provided, followed by ICD-10-CM codes in parentheses. Blank lines indicate that either the ICD-9-CM or the ICD-10-CM code is not applicable. For some disorders, the code can be indicated only according to the subtype or specifier.

ICD-9-CM codes are to be used for coding purposes in the United States through September 30, 2014. ICD-10-CM codes are to be used starting October 1, 2014.

Following chapter titles and disorder names, page numbers for the corresponding text or criteria are included in parentheses.

Note for all mental disorders due to another medical condition: Indicate the name of the other medical condition in the name of the mental disorder due to [the medical condition]. The code and name for the other medical condition should be listed first immediately before the mental disorder due to the medical condition.

Neurodevelopmental Disorders (31)

Intellectual Disabilities (33)

___ (___)	Intellectual Disability (Intellectual Developmental Disorder) (33) <i>Specify current severity:</i>
317 (F70)	Mild
318.0 (F71)	Moderate
318.1 (F72)	Severe
318.2 (F73)	Profound
315.8 (F88)	Global Developmental Delay (41)
319 (F79)	Unspecified Intellectual Disability (Intellectual Developmental Disorder) (41)

Communication Disorders (41)

315.39 (F80.9)	Language Disorder (42)
315.39 (F80.0)	Speech Sound Disorder (44)
315.35 (F80.81)	Childhood-Onset Fluency Disorder (Stuttering) (45) <i>Note:</i> Later-onset cases are diagnosed as 307.0 (F98.5) adult-onset fluency disorder.
315.39 (F80.89)	Social (Pragmatic) Communication Disorder (47)
307.9 (F80.9)	Unspecified Communication Disorder (49)

Autism Spectrum Disorder (50)

- 299.00 (F84.0)** Autism Spectrum Disorder (50)
Specify if: Associated with a known medical or genetic condition or environmental factor; Associated with another neurodevelopmental, mental, or behavioral disorder
Specify current severity for Criterion A and Criterion B: Requiring very substantial support, Requiring substantial support, Requiring support
Specify if: With or without accompanying intellectual impairment, With or without accompanying language impairment, With catatonia (use additional code 293.89 [F06.1])

Attention-Deficit/Hyperactivity Disorder (59)

- ___ (___) Attention-Deficit/Hyperactivity Disorder (59)
Specify whether:
- 314.01 (F90.2)** Combined presentation
314.00 (F90.0) Predominantly inattentive presentation
314.01 (F90.1) Predominantly hyperactive/impulsive presentation
Specify if: In partial remission
Specify current severity: Mild, Moderate, Severe
- 314.01 (F90.8)** Other Specified Attention-Deficit/Hyperactivity Disorder (65)
314.01 (F90.9) Unspecified Attention-Deficit/Hyperactivity Disorder (66)

Specific Learning Disorder (66)

- ___ (___) Specific Learning Disorder (66)
Specify if:
- 315.00 (F81.0)** With impairment in reading (*specify if with word reading accuracy, reading rate or fluency, reading comprehension*)
315.2 (F81.81) With impairment in written expression (*specify if with spelling accuracy, grammar and punctuation accuracy, clarity or organization of written expression*)
315.1 (F81.2) With impairment in mathematics (*specify if with number sense, memorization of arithmetic facts, accurate or fluent calculation, accurate math reasoning*)
Specify current severity: Mild, Moderate, Severe

Motor Disorders (74)

- 315.4 (F82)** Developmental Coordination Disorder (74)
307.3 (F98.4) Stereotypic Movement Disorder (77)
Specify if: With self-injurious behavior, Without self-injurious behavior
Specify if: Associated with a known medical or genetic condition, neurodevelopmental disorder, or environmental factor
Specify current severity: Mild, Moderate, Severe

Tic Disorders

- 307.23 (F95.2)** Tourette's Disorder (81)
307.22 (F95.1) Persistent (Chronic) Motor or Vocal Tic Disorder (81)
Specify if: With motor tics only, With vocal tics only

- 307.21 (F95.0)** Provisional Tic Disorder (81)
307.20 (F95.8) Other Specified Tic Disorder (85)
307.20 (F95.9) Unspecified Tic Disorder (85)

Other Neurodevelopmental Disorders (86)

- 315.8 (F88)** Other Specified Neurodevelopmental Disorder (86)
315.9 (F89) Unspecified Neurodevelopmental Disorder (86)

Schizophrenia Spectrum and Other Psychotic Disorders (87)

The following specifiers apply to Schizophrenia Spectrum and Other Psychotic Disorders where indicated:

^a*Specify* if: The following course specifiers are only to be used after a 1-year duration of the disorder: First episode, currently in acute episode; First episode, currently in partial remission; First episode, currently in full remission; Multiple episodes, currently in acute episode; Multiple episodes, currently in partial remission; Multiple episodes, currently in full remission; Continuous; Unspecified

^b*Specify* if: With catatonia (use additional code 293.89 [F06.1])

^c*Specify* current severity of delusions, hallucinations, disorganized speech, abnormal psychomotor behavior, negative symptoms, impaired cognition, depression, and mania symptoms

- 301.22 (F21)** Schizotypal (Personality) Disorder (90)
- 297.1 (F22)** Delusional Disorder^{a, c} (90)
Specify whether: Erotomanic type, Grandiose type, Jealous type, Persecutory type, Somatic type, Mixed type, Unspecified type
Specify if: With bizarre content
- 298.8 (F23)** Brief Psychotic Disorder^{b, c} (94)
Specify if: With marked stressor(s), Without marked stressor(s), With postpartum onset
- 295.40 (F20.81)** Schizophreniform Disorder^{b, c} (96)
Specify if: With good prognostic features, Without good prognostic features
- 295.90 (F20.9)** Schizophrenia^{a, b, c} (99)
- ___ (___) Schizoaffective Disorder^{a, b, c} (105)
Specify whether:
- 295.70 (F25.0)** Bipolar type
- 295.70 (F25.1)** Depressive type
- ___ (___) Substance/Medication-Induced Psychotic Disorder^c (110)
Note: See the criteria set and corresponding recording procedures for substance-specific codes and ICD-9-CM and ICD-10-CM coding.
Specify if: With onset during intoxication, With onset during withdrawal
- ___ (___) Psychotic Disorder Due to Another Medical Condition^c (115)
Specify whether:
- 293.81 (F06.2)** With delusions
- 293.82 (F06.0)** With hallucinations

293.89 (F06.1)	Catatonia Associated With Another Mental Disorder (Catatonia Specifier) (119)
293.89 (F06.1)	Catatonic Disorder Due to Another Medical Condition (120)
293.89 (F06.1)	Unspecified Catatonia (121) Note: Code first 781.99 (R29.818) other symptoms involving nervous and musculoskeletal systems.
298.8 (F28)	Other Specified Schizophrenia Spectrum and Other Psychotic Disorder (122)
298.9 (F29)	Unspecified Schizophrenia Spectrum and Other Psychotic Disorder (122)

Bipolar and Related Disorders (123)

The following specifiers apply to Bipolar and Related Disorders where indicated:

^a*Specify:* With anxious distress (*specify* current severity: mild, moderate, moderate-severe, severe); With mixed features; With rapid cycling; With melancholic features; With atypical features; With mood-congruent psychotic features; With mood-incongruent psychotic features; With catatonia (use additional code 293.89 [F06.1]); With peripartum onset; With seasonal pattern

___ (___)	Bipolar I Disorder ^a (123)
___ (___)	Current or most recent episode manic
296.41 (F31.11)	Mild
296.42 (F31.12)	Moderate
296.43 (F31.13)	Severe
296.44 (F31.2)	With psychotic features
296.45 (F31.73)	In partial remission
296.46 (F31.74)	In full remission
296.40 (F31.9)	Unspecified
296.40 (F31.0)	Current or most recent episode hypomanic
296.45 (F31.73)	In partial remission
296.46 (F31.74)	In full remission
296.40 (F31.9)	Unspecified
___ (___)	Current or most recent episode depressed
296.51 (F31.31)	Mild
296.52 (F31.32)	Moderate
296.53 (F31.4)	Severe
296.54 (F31.5)	With psychotic features
296.55 (F31.75)	In partial remission
296.56 (F31.76)	In full remission
296.50 (F31.9)	Unspecified
296.7 (F31.9)	Current or most recent episode unspecified
296.89 (F31.81)	Bipolar II Disorder ^a (132) <i>Specify</i> current or most recent episode: Hypomanic, Depressed <i>Specify</i> course if full criteria for a mood episode are not currently met: In partial remission, In full remission <i>Specify</i> severity if full criteria for a mood episode are not currently met: Mild, Moderate, Severe

- 301.13 (F34.0)** Cyclothymic Disorder (139)
Specify if: With anxious distress
- ___ (___) Substance/Medication-Induced Bipolar and Related Disorder (142)
Note: See the criteria set and corresponding recording procedures for substance-specific codes and ICD-9-CM and ICD-10-CM coding.
Specify if: With onset during intoxication, With onset during withdrawal
- 293.83 (___)** Bipolar and Related Disorder Due to Another Medical Condition (145)
Specify if:
- (F06.33) With manic features
 - (F06.33) With manic- or hypomanic-like episode
 - (F06.34) With mixed features
- 296.89 (F31.89)** Other Specified Bipolar and Related Disorder (148)
- 296.80 (F31.9)** Unspecified Bipolar and Related Disorder (149)

Depressive Disorders (155)

The following specifiers apply to Depressive Disorders where indicated:

^a*Specify:* With anxious distress (*specify* current severity: mild, moderate, moderate-severe, severe); With mixed features; With melancholic features; With atypical features; With mood-congruent psychotic features; With mood-incongruent psychotic features; With catatonia (use additional code 293.89 [F06.1]); With peripartum onset; With seasonal pattern

- 296.99 (F34.8)** Disruptive Mood Dysregulation Disorder (156)
- ___ (___) Major Depressive Disorder^a (160)
- ___ (___) Single episode
- 296.21 (F32.0)** Mild
 - 296.22 (F32.1)** Moderate
 - 296.23 (F32.2)** Severe
 - 296.24 (F32.3)** With psychotic features
 - 296.25 (F32.4)** In partial remission
 - 296.26 (F32.5)** In full remission
 - 296.20 (F32.9)** Unspecified
- ___ (___) Recurrent episode
- 296.31 (F33.0)** Mild
 - 296.32 (F33.1)** Moderate
 - 296.33 (F33.2)** Severe
 - 296.34 (F33.3)** With psychotic features
 - 296.35 (F33.41)** In partial remission
 - 296.36 (F33.42)** In full remission
 - 296.30 (F33.9)** Unspecified
- 300.4 (F34.1)** Persistent Depressive Disorder (Dysthymia)^a (168)
Specify if: In partial remission, In full remission
Specify if: Early onset, Late onset
Specify if: With pure dysthymic syndrome; With persistent major depressive episode; With intermittent major depressive episodes, with current

- episode; With intermittent major depressive episodes, without current episode
Specify current severity: Mild, Moderate, Severe
- 625.4 (N94.3)** Premenstrual Dysphoric Disorder (171)
- ____ (____) Substance/Medication-Induced Depressive Disorder (175)
Note: See the criteria set and corresponding recording procedures for substance-specific codes and ICD-9-CM and ICD-10-CM coding.
Specify if: With onset during intoxication, With onset during withdrawal
- 293.83 (____)** Depressive Disorder Due to Another Medical Condition (180)
Specify if:
- (F06.31) With depressive features
 - (F06.32) With major depressive-like episode
 - (F06.34) With mixed features
- 311 (F32.8)** Other Specified Depressive Disorder (183)
- 311 (F32.9)** Unspecified Depressive Disorder (184)

Anxiety Disorders (189)

- 309.21 (F93.0)** Separation Anxiety Disorder (190)
- 312.23 (F94.0)** Selective Mutism (195)
- 300.29 (____)** Specific Phobia (197)
Specify if:
- (F40.218) Animal
 - (F40.228) Natural environment
 - (____) Blood-injection-injury
 - (F40.230) Fear of blood
 - (F40.231) Fear of injections and transfusions
 - (F40.232) Fear of other medical care
 - (F40.233) Fear of injury
 - (F40.248) Situational
 - (F40.298) Other
- 300.23 (F40.10)** Social Anxiety Disorder (Social Phobia) (202)
Specify if: Performance only
- 300.01 (F41.0)** Panic Disorder (208)
- ____ (____) Panic Attack Specifier (214)
- 300.22 (F40.00)** Agoraphobia (217)
- 300.02 (F41.1)** Generalized Anxiety Disorder (222)
- ____ (____) Substance/Medication-Induced Anxiety Disorder (226)
Note: See the criteria set and corresponding recording procedures for substance-specific codes and ICD-9-CM and ICD-10-CM coding.
Specify if: With onset during intoxication, With onset during withdrawal, With onset after medication use

- 293.84 (F06.4)** Anxiety Disorder Due to Another Medical Condition (230)
300.09 (F41.8) Other Specified Anxiety Disorder (233)
300.00 (F41.9) Unspecified Anxiety Disorder (233)

Obsessive-Compulsive and Related Disorders (235)

The following specifier applies to Obsessive-Compulsive and Related Disorders where indicated:
^a*Specify if:* With good or fair insight, With poor insight, With absent insight/delusional beliefs

- 300.3 (F42)** Obsessive-Compulsive Disorder^a (237)
Specify if: Tic-related
- 300.7 (F45.22)** Body Dysmorphic Disorder^a (242)
Specify if: With muscle dysmorphia
- 300.3 (F42)** Hoarding Disorder^a (247)
Specify if: With excessive acquisition
- 312.39 (F63.3)** Trichotillomania (Hair-Pulling Disorder) (251)
- 698.4 (L98.1)** Excoriation (Skin-Picking) Disorder (254)
- ___ (___)** Substance/Medication-Induced Obsessive-Compulsive and Related Disorder (257)
Note: See the criteria set and corresponding recording procedures for substance-specific codes and ICD-9-CM and ICD-10-CM coding.
Specify if: With onset during intoxication, With onset during withdrawal, With onset after medication use
- 294.8 (F06.8)** Obsessive-Compulsive and Related Disorder Due to Another Medical Condition (260)
Specify if: With obsessive-compulsive disorder-like symptoms, With appearance preoccupations, With hoarding symptoms, With hair-pulling symptoms, With skin-picking symptoms
- 300.3 (F42)** Other Specified Obsessive-Compulsive and Related Disorder (263)
- 300.3 (F42)** Unspecified Obsessive-Compulsive and Related Disorder (264)

Trauma- and Stressor-Related Disorders (265)

- 313.89 (F94.1)** Reactive Attachment Disorder (265)
Specify if: Persistent
Specify current severity: Severe
- 313.89 (F94.2)** Disinhibited Social Engagement Disorder (268)
Specify if: Persistent
Specify current severity: Severe
- 309.81 (F43.10)** Posttraumatic Stress Disorder (includes Posttraumatic Stress Disorder for Children 6 Years and Younger) (271)
Specify whether: With dissociative symptoms
Specify if: With delayed expression
- 308.3 (F43.0)** Acute Stress Disorder (280)

- ____ (____) Adjustment Disorders (286)
Specify whether:
- 309.0 (F43.21) With depressed mood
- 309.24 (F43.22) With anxiety
- 309.28 (F43.23) With mixed anxiety and depressed mood
- 309.3 (F43.24) With disturbance of conduct
- 309.4 (F43.25) With mixed disturbance of emotions and conduct
- 309.9 (F43.20) Unspecified
- 309.89 (F43.8) Other Specified Trauma- and Stressor-Related Disorder (289)
- 309.9 (F43.9) Unspecified Trauma- and Stressor-Related Disorder (290)

Dissociative Disorders (291)

- 300.14 (F44.81) Dissociative Identity Disorder (292)
- 300.12 (F44.0) Dissociative Amnesia (298)
Specify if:
- 300.13 (F44.1) With dissociative fugue
- 300.6 (F48.1) Depersonalization/Derealization Disorder (302)
- 300.15 (F44.89) Other Specified Dissociative Disorder (306)
- 300.15 (F44.9) Unspecified Dissociative Disorder (307)

Somatic Symptom and Related Disorders (309)

- 300.82 (F45.1) Somatic Symptom Disorder (311)
Specify if: With predominant pain
Specify if: Persistent
Specify current severity: Mild, Moderate, Severe
- 300.7 (F45.21) Illness Anxiety Disorder (315)
Specify whether: Care seeking type, Care avoidant type
- 300.11 (____) Conversion Disorder (Functional Neurological Symptom Disorder) (318)
Specify symptom type:
- (F44.4) With weakness or paralysis
- (F44.4) With abnormal movement
- (F44.4) With swallowing symptoms
- (F44.4) With speech symptom
- (F44.5) With attacks or seizures
- (F44.6) With anesthesia or sensory loss
- (F44.6) With special sensory symptom
- (F44.7) With mixed symptoms
- Specify if:* Acute episode, Persistent
Specify if: With psychological stressor (specify stressor), Without psychological stressor

- 316 (F54)** Psychological Factors Affecting Other Medical Conditions (322)
Specify current severity: Mild, Moderate, Severe, Extreme
- 300.19 (F68.10)** Factitious Disorder (includes Factitious Disorder Imposed on Self, Factitious Disorder Imposed on Another) (324)
Specify Single episode, Recurrent episodes
- 300.89 (F45.8)** Other Specified Somatic Symptom and Related Disorder (327)
- 300.82 (F45.9)** Unspecified Somatic Symptom and Related Disorder (327)

Feeding and Eating Disorders (329)

The following specifiers apply to Feeding and Eating Disorders where indicated:

^a*Specify* if: In remission

^b*Specify* if: In partial remission, In full remission

^c*Specify* current severity: Mild, Moderate, Severe, Extreme

- 307.52 (___.)** Pica^a (329)
 (F98.3) In children
 (F50.8) In adults
- 307.53 (F98.21)** Rumination Disorder^a (332)
- 307.59 (F50.8)** Avoidant/Restrictive Food Intake Disorder^a (334)
- 307.1 (___.)** Anorexia Nervosa^{b, c} (338)
Specify whether:
 (F50.01) Restricting type
 (F50.02) Binge-eating/purging type
- 307.51 (F50.2)** Bulimia Nervosa^{b, c} (345)
- 307.51 (F50.8)** Binge-Eating Disorder^{b, c} (350)
- 307.59 (F50.8)** Other Specified Feeding or Eating Disorder (353)
- 307.50 (F50.9)** Unspecified Feeding or Eating Disorder (354)

Elimination Disorders (355)

- 307.6 (F98.0)** Enuresis (355)
Specify whether: Nocturnal only, Diurnal only, Nocturnal and diurnal
- 307.7 (F98.1)** Encopresis (357)
Specify whether: With constipation and overflow incontinence, Without constipation and overflow incontinence
- ___ (___.) Other Specified Elimination Disorder (359)
- 788.39 (N39.498)** With urinary symptoms
- 787.60 (R15.9)** With fecal symptoms
- ___ (___.) Unspecified Elimination Disorder (360)
- 788.30 (R32)** With urinary symptoms
- 787.60 (R15.9)** With fecal symptoms

Sleep-Wake Disorders (361)

The following specifiers apply to Sleep-Wake Disorders where indicated:

^a*Specify* if: Episodic, Persistent, Recurrent

^b*Specify* if: Acute, Subacute, Persistent

^c*Specify* current severity: Mild, Moderate, Severe

- 780.52 (G47.00)** Insomnia Disorder^a (362)
Specify if: With non-sleep disorder mental comorbidity, With other medical comorbidity, With other sleep disorder
- 780.54 (G47.10)** Hypersomnolence Disorder^{b, c} (368)
Specify if: With mental disorder, With medical condition, With another sleep disorder
- ___ (___) Narcolepsy^c (372)
Specify whether:
- 347.00 (G47.419)** Narcolepsy without cataplexy but with hypocretin deficiency
- 347.01 (G47.411)** Narcolepsy with cataplexy but without hypocretin deficiency
- 347.00 (G47.419)** Autosomal dominant cerebellar ataxia, deafness, and narcolepsy
- 347.00 (G47.419)** Autosomal dominant narcolepsy, obesity, and type 2 diabetes
- 347.10 (G47.429)** Narcolepsy secondary to another medical condition

Breathing-Related Sleep Disorders (378)

- 327.23 (G47.33)** Obstructive Sleep Apnea Hypopnea^c (378)
- ___ (___) Central Sleep Apnea (383)
Specify whether:
- 327.21 (G47.31)** Idiopathic central sleep apnea
- 786.04 (R06.3)** Cheyne-Stokes breathing
- 780.57 (G47.37)** Central sleep apnea comorbid with opioid use
Note: First code opioid use disorder, if present.
Specify current severity
- ___ (___) Sleep-Related Hypoventilation (387)
Specify whether:
- 327.24 (G47.34)** Idiopathic hypoventilation
- 327.25 (G47.35)** Congenital central alveolar hypoventilation
- 327.26 (G47.36)** Comorbid sleep-related hypoventilation
Specify current severity
- ___ (___) Circadian Rhythm Sleep-Wake Disorders^a (390)
Specify whether:
- 307.45 (G47.21)** Delayed sleep phase type (391)
Specify if: Familial, Overlapping with non-24-hour sleep-wake type
- 307.45 (G47.22)** Advanced sleep phase type (393)
Specify if: Familial
- 307.45 (G47.23)** Irregular sleep-wake type (394)
- 307.45 (G47.24)** Non-24-hour sleep-wake type (396)

307.45 (G47.26) Shift work type (397)

307.45 (G47.20) Unspecified type

Parasomnias (399)

___ (___) Non–Rapid Eye Movement Sleep Arousal Disorders (399)

Specify whether:

307.46 (F51.3) Sleepwalking type

Specify if: With sleep-related eating, With sleep-related sexual behavior (sexsomnia)

307.46 (F51.4) Sleep terror type

307.47 (F51.5) Nightmare Disorder^{b, c} (404)

Specify if: During sleep onset

Specify if: With associated non–sleep disorder, With associated other medical condition, With associated other sleep disorder

327.42 (G47.52) Rapid Eye Movement Sleep Behavior Disorder (407)

333.94 (G25.81) Restless Legs Syndrome (410)

___ (___) Substance/Medication-Induced Sleep Disorder (413)

Note: See the criteria set and corresponding recording procedures for substance-specific codes and ICD-9-CM and ICD-10-CM coding.

Specify whether: Insomnia type, Daytime sleepiness type, Parasomnia type, Mixed type

Specify if: With onset during intoxication, With onset during discontinuation/withdrawal

780.52 (G47.09) Other Specified Insomnia Disorder (420)

780.52 (G47.00) Unspecified Insomnia Disorder (420)

780.54 (G47.19) Other Specified Hypersomnolence Disorder (421)

780.54 (G47.10) Unspecified Hypersomnolence Disorder (421)

780.59 (G47.8) Other Specified Sleep-Wake Disorder (421)

780.59 (G47.9) Unspecified Sleep-Wake Disorder (422)

Sexual Dysfunctions (423)

The following specifiers apply to Sexual Dysfunctions where indicated:

^a*Specify* whether: Lifelong, Acquired

^b*Specify* whether: Generalized, Situational

^c*Specify* current severity: Mild, Moderate, Severe

302.74 (F52.32) Delayed Ejaculation^{a, b, c} (424)

302.72 (F52.21) Erectile Disorder^{a, b, c} (426)

302.73 (F52.31) Female Orgasmic Disorder^{a, b, c} (429)

Specify if: Never experienced an orgasm under any situation

302.72 (F52.22) Female Sexual Interest/Arousal Disorder^{a, b, c} (433)

302.76 (F52.6) Genito-Pelvic Pain/Penetration Disorder^{a, c} (437)

- 302.71 (F52.0)** Male Hypoactive Sexual Desire Disorder^{a, b, c} (440)
- 302.75 (F52.4)** Premature (Early) Ejaculation^{a, b, c} (443)
- ___ (___) Substance/Medication-Induced Sexual Dysfunction^c (446)
Note: See the criteria set and corresponding recording procedures for substance-specific codes and ICD-9-CM and ICD-10-CM coding.
Specify if: With onset during intoxication, With onset during withdrawal,
 With onset after medication use
- 302.79 (F52.8)** Other Specified Sexual Dysfunction (450)
- 302.70 (F52.9)** Unspecified Sexual Dysfunction (450)

Gender Dysphoria (451)

- ___ (___) Gender Dysphoria (452)
- 302.6 (F64.2)** Gender Dysphoria in Children
Specify if: With a disorder of sex development
- 302.85 (F64.1)** Gender Dysphoria in Adolescents and Adults
Specify if: With a disorder of sex development
Specify if: Posttransition
Note: Code the disorder of sex development if present, in addition to gender dysphoria.
- 302.6 (F64.8)** Other Specified Gender Dysphoria (459)
- 302.6 (F64.9)** Unspecified Gender Dysphoria (459)

Disruptive, Impulse-Control, and Conduct Disorders (461)

- 313.81 (F91.3)** Oppositional Defiant Disorder (462)
Specify current severity: Mild, Moderate, Severe
- 312.34 (F63.81)** Intermittent Explosive Disorder (466)
- ___ (___) Conduct Disorder (469)
Specify whether:
- 312.81 (F91.1)** Childhood-onset type
- 312.82 (F91.2)** Adolescent-onset type
- 312.89 (F91.9)** Unspecified onset
Specify if: With limited prosocial emotions
Specify current severity: Mild, Moderate, Severe
- 301.7 (F60.2)** Antisocial Personality Disorder (476)
- 312.33 (F63.1)** Pyromania (476)
- 312.32 (F63.2)** Kleptomania (478)
- 312.89 (F91.8)** Other Specified Disruptive, Impulse-Control, and Conduct Disorder (479)
- 312.9 (F91.9)** Unspecified Disruptive, Impulse-Control, and Conduct Disorder (480)

Substance-Related and Addictive Disorders (481)

The following specifiers and note apply to Substance-Related and Addictive Disorders where indicated:

^a*Specify* if: In early remission, In sustained remission

^b*Specify* if: In a controlled environment

^c*Specify* if: With perceptual disturbances

^dThe ICD-10-CM code indicates the comorbid presence of a moderate or severe substance use disorder, which must be present in order to apply the code for substance withdrawal.

Substance-Related Disorders (483)

Alcohol-Related Disorders (490)

___ (___) Alcohol Use Disorder^{a, b} (490)
Specify current severity:

305.00 (F10.10) Mild

303.90 (F10.20) Moderate

303.90 (F10.20) Severe

303.00 (___) Alcohol Intoxication (497)

(F10.129) With use disorder, mild

(F10.229) With use disorder, moderate or severe

(F10.929) Without use disorder

291.81 (___) Alcohol Withdrawal^{c, d} (499)

(F10.239) Without perceptual disturbances

(F10.232) With perceptual disturbances

___ (___) Other Alcohol-Induced Disorders (502)

291.9 (F10.99) Unspecified Alcohol-Related Disorder (503)

Caffeine-Related Disorders (503)

305.90 (F15.929) Caffeine Intoxication (503)

292.0 (F15.93) Caffeine Withdrawal (506)

___ (___) Other Caffeine-Induced Disorders (508)

292.9 (F15.99) Unspecified Caffeine-Related Disorder (509)

Cannabis-Related Disorders (509)

___ (___) Cannabis Use Disorder^{a, b} (509)
Specify current severity:

305.20 (F12.10) Mild

304.30 (F12.20) Moderate

304.30 (F12.20) Severe

- 292.89** (___.) Cannabis Intoxication^c (516)
 Without perceptual disturbances
 (F12.129) With use disorder, mild
 (F12.229) With use disorder, moderate or severe
 (F12.929) Without use disorder
 With perceptual disturbances
 (F12.122) With use disorder, mild
 (F12.222) With use disorder, moderate or severe
 (F12.922) Without use disorder
- 292.0** (F12.288) Cannabis Withdrawal^d (517)
 ___ (___) Other Cannabis-Induced Disorders (519)
- 292.9** (F12.99) Unspecified Cannabis-Related Disorder (519)
- Hallucinogen-Related Disorders (520)
- ___ (___) Phencyclidine Use Disorder^{a, b} (520)
Specify current severity:
305.90 (F16.10) Mild
304.60 (F16.20) Moderate
304.60 (F16.20) Severe
- ___ (___) Other Hallucinogen Use Disorder^{a, b} (523)
Specify the particular hallucinogen
Specify current severity:
305.30 (F16.10) Mild
304.50 (F16.20) Moderate
304.50 (F16.20) Severe
- 292.89** (___.) Phencyclidine Intoxication (527)
 (F16.129) With use disorder, mild
 (F16.229) With use disorder, moderate or severe
 (F16.929) Without use disorder
- 292.89** (___.) Other Hallucinogen Intoxication (529)
 (F16.129) With use disorder, mild
 (F16.229) With use disorder, moderate or severe
 (F16.929) Without use disorder
- 292.89** (F16.983) Hallucinogen Persisting Perception Disorder (531)
 ___ (___) Other Phencyclidine-Induced Disorders (532)
 ___ (___) Other Hallucinogen-Induced Disorders (532)
- 292.9** (F16.99) Unspecified Phencyclidine-Related Disorder (533)
292.9 (F16.99) Unspecified Hallucinogen-Related Disorder (533)
- Inhalant-Related Disorders (533)
- ___ (___) Inhalant Use Disorder^{a, b} (533)
Specify the particular inhalant
Specify current severity:
305.90 (F18.10) Mild

- 304.60 (F18.20)** Moderate
- 304.60 (F18.20)** Severe
- 292.89 (___.)** Inhalant Intoxication (538)
- (F18.129)** With use disorder, mild
- (F18.229)** With use disorder, moderate or severe
- (F18.929)** Without use disorder
- ___ (___) Other Inhalant-Induced Disorders (540)
- 292.9 (F18.99)** Unspecified Inhalant-Related Disorder (540)
- Opioid-Related Disorders (540)
- ___ (___) Opioid Use Disorder^a (541)
- Specify if:* On maintenance therapy, In a controlled environment
- Specify current severity:*
- 305.50 (F11.10)** Mild
- 304.00 (F11.20)** Moderate
- 304.00 (F11.20)** Severe
- 292.89 (___.)** Opioid Intoxication^c (546)
- Without perceptual disturbances
- (F11.129)** With use disorder, mild
- (F11.229)** With use disorder, moderate or severe
- (F11.929)** Without use disorder
- With perceptual disturbances
- (F11.122)** With use disorder, mild
- (F11.222)** With use disorder, moderate or severe
- (F11.922)** Without use disorder
- 292.0 (F11.23)** Opioid Withdrawal^d (547)
- ___ (___) Other Opioid-Induced Disorders (549)
- 292.9 (F11.99)** Unspecified Opioid-Related Disorder (550)
- Sedative-, Hypnotic-, or Anxiolytic-Related Disorders (550)
- ___ (___) Sedative, Hypnotic, or Anxiolytic Use Disorder^{a, b} (550)
- Specify current severity:*
- 305.40 (F13.10)** Mild
- 304.10 (F13.20)** Moderate
- 304.10 (F13.20)** Severe
- 292.89 (___.)** Sedative, Hypnotic, or Anxiolytic Intoxication (556)
- (F13.129)** With use disorder, mild
- (F13.229)** With use disorder, moderate or severe
- (F13.929)** Without use disorder
- 292.0 (___.)** Sedative, Hypnotic, or Anxiolytic Withdrawal^{c, d} (557)
- (F13.239)** Without perceptual disturbances
- (F13.232)** With perceptual disturbances

- ___ (___) Other Sedative-, Hypnotic-, or Anxiolytic-Induced Disorders (560)
- 292.9 (F13.99)** Unspecified Sedative-, Hypnotic-, or Anxiolytic-Related Disorder (560)
- Stimulant-Related Disorders (561)
- ___ (___) Stimulant Use Disorder^{a, b} (561)
Specify current severity:
- ___ (___) Mild
- 305.70 (F15.10)** Amphetamine-type substance
- 305.60 (F14.10)** Cocaine
- 305.70 (F15.10)** Other or unspecified stimulant
- ___ (___) Moderate
- 304.40 (F15.20)** Amphetamine-type substance
- 304.20 (F14.20)** Cocaine
- 304.40 (F15.20)** Other or unspecified stimulant
- ___ (___) Severe
- 304.40 (F15.20)** Amphetamine-type substance
- 304.20 (F14.20)** Cocaine
- 304.40 (F15.20)** Other or unspecified stimulant
- 292.89 (___)** Stimulant Intoxication^c (567)
Specify the specific intoxicant
- 292.89 (___)** Amphetamine or other stimulant, Without perceptual disturbances
- (F15.129) With use disorder, mild
- (F15.229) With use disorder, moderate or severe
- (F15.929) Without use disorder
- 292.89 (___)** Cocaine, Without perceptual disturbances
- (F14.129) With use disorder, mild
- (F14.229) With use disorder, moderate or severe
- (F14.929) Without use disorder
- 292.89 (___)** Amphetamine or other stimulant, With perceptual disturbances
- (F15.122) With use disorder, mild
- (F15.222) With use disorder, moderate or severe
- (F15.922) Without use disorder
- 292.89 (___)** Cocaine, With perceptual disturbances
- (F14.122) With use disorder, mild
- (F14.222) With use disorder, moderate or severe
- (F14.922) Without use disorder
- 292.0 (___)** Stimulant Withdrawal^d (569)
Specify the specific substance causing the withdrawal syndrome
- (F15.23) Amphetamine or other stimulant
- (F14.23) Cocaine
- ___ (___) Other Stimulant-Induced Disorders (570)

- 292.9** (___) Unspecified Stimulant-Related Disorder (570)
 (F15.99) Amphetamine or other stimulant
 (F14.99) Cocaine

Tobacco-Related Disorders (571)

- ___ (___) Tobacco Use Disorder^a (571)
Specify if: On maintenance therapy, In a controlled environment
Specify current severity:
305.1 (Z72.0) Mild
305.1 (F17.200) Moderate
305.1 (F17.200) Severe
292.0 (F17.203) Tobacco Withdrawal^d (575)
 ___ (___) Other Tobacco-Induced Disorders (576)
292.9 (F17.209) Unspecified Tobacco-Related Disorder (577)

Other (or Unknown) Substance-Related Disorders (577)

- ___ (___) Other (or Unknown) Substance Use Disorder^{a, b} (577)
Specify current severity:
305.90 (F19.10) Mild
304.90 (F19.20) Moderate
304.90 (F19.20) Severe
292.89 (___) Other (or Unknown) Substance Intoxication (581)
 (F19.129) With use disorder, mild
 (F19.229) With use disorder, moderate or severe
 (F19.929) Without use disorder
292.0 (F19.239) Other (or Unknown) Substance Withdrawal^d (583)
 ___ (___) Other (or Unknown) Substance-Induced Disorders (584)
292.9 (F19.99) Unspecified Other (or Unknown) Substance-Related Disorder (585)

Non-Substance-Related Disorders (585)

- 312.31** (F63.0) Gambling Disorder^a (585)
Specify if: Episodic, Persistent
Specify current severity: Mild, Moderate, Severe

Neurocognitive Disorders (591)

- ___ (___) Delirium (596)
^a**Note:** See the criteria set and corresponding recording procedures for substance-specific codes and ICD-9-CM and ICD-10-CM coding.
Specify whether:
 ___ (___) Substance intoxication delirium^a
 ___ (___) Substance withdrawal delirium^a
292.81 (___) Medication-induced delirium^a
293.0 (F05) Delirium due to another medical condition

- 293.0 (F05)** Delirium due to multiple etiologies
Specify if: Acute, Persistent
Specify if: Hyperactive, Hypoactive, Mixed level of activity
- 780.09 (R41.0)** Other Specified Delirium (602)
- 780.09 (R41.0)** Unspecified Delirium (602)

Major and Mild Neurocognitive Disorders (602)

Specify whether due to: Alzheimer's disease, Frontotemporal lobar degeneration, Lewy body disease, Vascular disease, Traumatic brain injury, Substance/medication use, HIV infection, Prion disease, Parkinson's disease, Huntington's disease, Another medical condition, Multiple etiologies, Unspecified

^a*Specify* Without behavioral disturbance, With behavioral disturbance. *For possible major neurocognitive disorder and for mild neurocognitive disorder, behavioral disturbance cannot be coded but should still be indicated in writing.*

^b*Specify* current severity: Mild, Moderate, Severe. *This specifier applies only to major neurocognitive disorders (including probable and possible).*

Note: As indicated for each subtype, an additional medical code is needed for probable major neurocognitive disorder or major neurocognitive disorder. An additional medical code should *not* be used for possible major neurocognitive disorder or mild neurocognitive disorder.

Major or Mild Neurocognitive Disorder Due to Alzheimer's Disease (611)

- ___ (___) Probable Major Neurocognitive Disorder Due to Alzheimer's Disease^b
Note: Code first 331.0 (G30.9) Alzheimer's disease.
- 294.11 (F02.81)** With behavioral disturbance
- 294.10 (F02.80)** Without behavioral disturbance
- 331.9 (G31.9)** Possible Major Neurocognitive Disorder Due to Alzheimer's Disease^{a, b}
- 331.83 (G31.84)** Mild Neurocognitive Disorder Due to Alzheimer's Disease^a

Major or Mild Frontotemporal Neurocognitive Disorder (614)

- ___ (___) Probable Major Neurocognitive Disorder Due to Frontotemporal Lobar Degeneration^b
Note: Code first 331.19 (G31.09) frontotemporal disease.
- 294.11 (F02.81)** With behavioral disturbance
- 294.10 (F02.80)** Without behavioral disturbance
- 331.9 (G31.9)** Possible Major Neurocognitive Disorder Due to Frontotemporal Lobar Degeneration^{a, b}
- 331.83 (G31.84)** Mild Neurocognitive Disorder Due to Frontotemporal Lobar Degeneration^a

Major or Mild Neurocognitive Disorder With Lewy Bodies (618)

- ___ (___) Probable Major Neurocognitive Disorder With Lewy Bodies^b
Note: Code first 331.82 (G31.83) Lewy body disease.
- 294.11 (F02.81)** With behavioral disturbance
- 294.10 (F02.80)** Without behavioral disturbance

331.9 (G31.9) Possible Major Neurocognitive Disorder With Lewy Bodies^{a, b}

331.83 (G31.84) Mild Neurocognitive Disorder With Lewy Bodies^a

Major or Mild Vascular Neurocognitive Disorder (621)

___ (___) Probable Major Vascular Neurocognitive Disorder^b

Note: No additional medical code for vascular disease.

290.40 (F01.51) With behavioral disturbance

290.40 (F01.50) Without behavioral disturbance

331.9 (G31.9) Possible Major Vascular Neurocognitive Disorder^{a, b}

331.83 (G31.84) Mild Vascular Neurocognitive Disorder^a

Major or Mild Neurocognitive Disorder Due to Traumatic Brain Injury (624)

___ (___) Major Neurocognitive Disorder Due to Traumatic Brain Injury^b

Note: For ICD-9-CM, code first 907.0 late effect of intracranial injury without skull fracture. For ICD-10-CM, code first S06.2X9S diffuse traumatic brain injury with loss of consciousness of unspecified duration, sequela.

294.11 (F02.81) With behavioral disturbance

294.10 (F02.80) Without behavioral disturbance

331.83 (G31.84) Mild Neurocognitive Disorder Due to Traumatic Brain Injury^a

Substance/Medication-Induced Major or Mild Neurocognitive Disorder^a (627)

Note: No additional medical code. See the criteria set and corresponding recording procedures for substance-specific codes and ICD-9-CM and ICD-10-CM coding.

Specify if: Persistent

Major or Mild Neurocognitive Disorder Due to HIV Infection (632)

___ (___) Major Neurocognitive Disorder Due to HIV Infection^b

Note: Code first 042 (B20) HIV infection.

294.11 (F02.81) With behavioral disturbance

294.10 (F02.80) Without behavioral disturbance

331.83 (G31.84) Mild Neurocognitive Disorder Due to HIV Infection^a

Major or Mild Neurocognitive Disorder Due to Prion Disease (634)

___ (___) Major Neurocognitive Disorder Due to Prion Disease^b

Note: Code first 046.79 (A81.9) prion disease.

294.11 (F02.81) With behavioral disturbance

294.10 (F02.80) Without behavioral disturbance

331.83 (G31.84) Mild Neurocognitive Disorder Due to Prion Disease^a

Major or Mild Neurocognitive Disorder Due to Parkinson's Disease (636)

___ (___) Major Neurocognitive Disorder Probably Due to Parkinson's Disease^b

Note: Code first 332.0 (G20) Parkinson's disease.

294.11 (F02.81) With behavioral disturbance

294.10 (F02.80) Without behavioral disturbance

331.9 (G31.9) Major Neurocognitive Disorder Possibly Due to Parkinson's Disease^{a, b}

331.83 (G31.84) Mild Neurocognitive Disorder Due to Parkinson's Disease^a

Major or Mild Neurocognitive Disorder Due to Huntington's Disease (638)

___ (___) Major Neurocognitive Disorder Due to Huntington's Disease^b
Note: Code first 333.4 (G10) Huntington's disease.

294.11 (F02.81) With behavioral disturbance

294.10 (F02.80) Without behavioral disturbance

331.83 (G31.84) Mild Neurocognitive Disorder Due to Huntington's Disease^a

Major or Mild Neurocognitive Disorder Due to Another Medical Condition (641)

___ (___) Major Neurocognitive Disorder Due to Another Medical Condition^b

Note: Code first the other medical condition.

294.11 (F02.81) With behavioral disturbance

294.10 (F02.80) Without behavioral disturbance

331.83 (G31.84) Mild Neurocognitive Disorder Due to Another Medical Condition^a

Major or Mild Neurocognitive Disorder Due to Multiple Etiologies (642)

___ (___) Major Neurocognitive Disorder Due to Multiple Etiologies^b
Note: Code first all the etiological medical conditions (with the exception of vascular disease).

294.11 (F02.81) With behavioral disturbance

294.10 (F02.80) Without behavioral disturbance

331.83 (G31.84) Mild Neurocognitive Disorder Due to Multiple Etiologies^a

Unspecified Neurocognitive Disorder (643)

799.59 (R41.9) Unspecified Neurocognitive Disorder^a

Personality Disorders (645)

Cluster A Personality Disorders

301.0 (F60.0) Paranoid Personality Disorder (649)

301.20 (F60.1) Schizoid Personality Disorder (652)

301.22 (F21) Schizotypal Personality Disorder (655)

Cluster B Personality Disorders

301.7 (F60.2) Antisocial Personality Disorder (659)

301.83 (F60.3) Borderline Personality Disorder (663)

301.50 (F60.4) Histrionic Personality Disorder (667)

301.81 (F60.81) Narcissistic Personality Disorder (669)

Cluster C Personality Disorders

- 301.82** (F60.6) Avoidant Personality Disorder (672)
301.6 (F60.7) Dependent Personality Disorder (675)
301.4 (F60.5) Obsessive-Compulsive Personality Disorder (678)

Other Personality Disorders

- 310.1** (F07.0) Personality Change Due to Another Medical Condition (682)
Specify whether: Labile type, Disinhibited type, Aggressive type, Apathetic type, Paranoid type, Other type, Combined type, Unspecified type
301.89 (F60.89) Other Specified Personality Disorder (684)
301.9 (F60.9) Unspecified Personality Disorder (684)

Paraphilic Disorders (685)

The following specifier applies to Paraphilic Disorders where indicated:

^a*Specify* if: In a controlled environment, In full remission

- 302.82** (F65.3) Voyeuristic Disorder^a (686)
302.4 (F65.2) Exhibitionistic Disorder^a (689)
Specify whether: Sexually aroused by exposing genitals to prepubertal children, Sexually aroused by exposing genitals to physically mature individuals, Sexually aroused by exposing genitals to prepubertal children and to physically mature individuals
302.89 (F65.81) Frotteuristic Disorder^a (691)
302.83 (F65.51) Sexual Masochism Disorder^a (694)
Specify if: With asphyxiophilia
302.84 (F65.52) Sexual Sadism Disorder^a (695)
302.2 (F65.4) Pedophilic Disorder (697)
Specify whether: Exclusive type, Nonexclusive type
Specify if: Sexually attracted to males, Sexually attracted to females, Sexually attracted to both
Specify if: Limited to incest
302.81 (F65.0) Fetishistic Disorder^a (700)
Specify: Body part(s), Nonliving object(s), Other
302.3 (F65.1) Transvestic Disorder^a (702)
Specify if: With fetishism, With autogynephilia
302.89 (F65.89) Other Specified Paraphilic Disorder (705)
302.9 (F65.9) Unspecified Paraphilic Disorder (705)

Other Mental Disorders (707)

- 294.8** (F06.8) Other Specified Mental Disorder Due to Another Medical Condition (707)
294.9 (F09) Unspecified Mental Disorder Due to Another Medical Condition (708)
300.9 (F99) Other Specified Mental Disorder (708)
300.9 (F99) Unspecified Mental Disorder (708)

Medication-Induced Movement Disorders and Other Adverse Effects of Medication (709)

- 332.1** (G21.11) Neuroleptic-Induced Parkinsonism (709)
- 332.1** (G21.19) Other Medication-Induced Parkinsonism (709)
- 333.92** (G21.0) Neuroleptic Malignant Syndrome (709)
- 333.72** (G24.02) Medication-Induced Acute Dystonia (711)
- 333.99** (G25.71) Medication-Induced Acute Akathisia (711)
- 333.85** (G24.01) Tardive Dyskinesia (712)
- 333.72** (G24.09) Tardive Dystonia (712)
- 333.99** (G25.71) Tardive Akathisia (712)
- 333.1** (G25.1) Medication-Induced Postural Tremor (712)
- 333.99** (G25.79) Other Medication-Induced Movement Disorder (712)
- ___ (___) Antidepressant Discontinuation Syndrome (712)
- 995.29** (T43.205A) Initial encounter
- 995.29** (T43.205D) Subsequent encounter
- 995.29** (T43.205S) Sequelae
- ___ (___) Other Adverse Effect of Medication (714)
- 995.20** (T50.905A) Initial encounter
- 995.20** (T50.905D) Subsequent encounter
- 995.20** (T50.905S) Sequelae

Other Conditions That May Be a Focus of Clinical Attention (715)

Relational Problems (715)

Problems Related to Family Upbringing (715)

- V61.20** (Z62.820) Parent-Child Relational Problem (715)
- V61.8** (Z62.891) Sibling Relational Problem (716)
- V61.8** (Z62.29) Upbringing Away From Parents (716)
- V61.29** (Z62.898) Child Affected by Parental Relationship Distress (716)

Other Problems Related to Primary Support Group (716)

- V61.10** (Z63.0) Relationship Distress With Spouse or Intimate Partner (716)
- V61.03** (Z63.5) Disruption of Family by Separation or Divorce (716)
- V61.8** (Z63.8) High Expressed Emotion Level Within Family (716)
- V62.82** (Z63.4) Uncomplicated Bereavement (716)

Abuse and Neglect (717)**Child Maltreatment and Neglect Problems (717)****Child Physical Abuse (717)**

Child Physical Abuse, Confirmed (717)

995.54 (T74.12XA) Initial encounter**995.54 (T74.12XD)** Subsequent encounter

Child Physical Abuse, Suspected (717)

995.54 (T76.12XA) Initial encounter**995.54 (T76.12XD)** Subsequent encounter**Other Circumstances Related to Child Physical Abuse (718)****V61.21 (Z69.010)** Encounter for mental health services for victim of child abuse by parent**V61.21 (Z69.020)** Encounter for mental health services for victim of nonparental child abuse**V15.41 (Z62.810)** Personal history (past history) of physical abuse in childhood**V61.22 (Z69.011)** Encounter for mental health services for perpetrator of parental child abuse**V62.83 (Z69.021)** Encounter for mental health services for perpetrator of nonparental child abuse**Child Sexual Abuse (718)**

Child Sexual Abuse, Confirmed (718)

995.53 (T74.22XA) Initial encounter**995.53 (T74.22XD)** Subsequent encounter

Child Sexual Abuse, Suspected (718)

995.53 (T76.22XA) Initial encounter**995.53 (T76.22XD)** Subsequent encounter**Other Circumstances Related to Child Sexual Abuse (718)****V61.21 (Z69.010)** Encounter for mental health services for victim of child sexual abuse by parent**V61.21 (Z69.020)** Encounter for mental health services for victim of nonparental child sexual abuse**V15.41 (Z62.810)** Personal history (past history) of sexual abuse in childhood**V61.22 (Z69.011)** Encounter for mental health services for perpetrator of parental child sexual abuse**V62.83 (Z69.021)** Encounter for mental health services for perpetrator of nonparental child sexual abuse**Child Neglect (718)**

Child Neglect, Confirmed (718)

995.52 (T74.02XA) Initial encounter**995.52 (T74.02XD)** Subsequent encounter

Child Neglect, Suspected (719)

995.52 (T76.02XA) Initial encounter**995.52 (T76.02XD)** Subsequent encounter

Other Circumstances Related to Child Neglect (719)

V61.21 (Z69.010) Encounter for mental health services for victim of child neglect by parent**V61.21 (Z69.020)** Encounter for mental health services for victim of nonparental child neglect**V15.42 (Z62.812)** Personal history (past history) of neglect in childhood**V61.22 (Z69.011)** Encounter for mental health services for perpetrator of parental child neglect**V62.83 (Z69.021)** Encounter for mental health services for perpetrator of nonparental child neglect

Child Psychological Abuse (719)

Child Psychological Abuse, Confirmed (719)

995.51 (T74.32XA) Initial encounter**995.51 (T74.32XD)** Subsequent encounter

Child Psychological Abuse, Suspected (719)

995.51 (T76.32XA) Initial encounter**995.51 (T76.32XD)** Subsequent encounter

Other Circumstances Related to Child Psychological Abuse (719)

V61.21 (Z69.010) Encounter for mental health services for victim of child psychological abuse by parent**V61.21 (Z69.020)** Encounter for mental health services for victim of nonparental child psychological abuse**V15.42 (Z62.811)** Personal history (past history) of psychological abuse in childhood**V61.22 (Z69.011)** Encounter for mental health services for perpetrator of parental child psychological abuse**V62.83 (Z69.021)** Encounter for mental health services for perpetrator of nonparental child psychological abuse

Adult Maltreatment and Neglect Problems (720)

Spouse or Partner Violence, Physical (720)

Spouse or Partner Violence, Physical, Confirmed (720)

995.81 (T74.11XA) Initial encounter**995.81 (T74.11XD)** Subsequent encounter

Spouse or Partner Violence, Physical, Suspected (720)

995.81 (T76.11XA) Initial encounter**995.81 (T76.11XD)** Subsequent encounter

Other Circumstances Related to Spouse or Partner Violence, Physical (720)

V61.11 (Z69.11) Encounter for mental health services for victim of spouse or partner violence, physical

- V15.41 (Z91.410)** Personal history (past history) of spouse or partner violence, physical
- V61.12 (Z69.12)** Encounter for mental health services for perpetrator of spouse or partner violence, physical

Spouse or Partner Violence, Sexual (720)

Spouse or Partner Violence, Sexual, Confirmed (720)

- 995.83 (T74.21XA)** Initial encounter
- 995.83 (T74.21XD)** Subsequent encounter

Spouse or Partner Violence, Sexual, Suspected (720)

- 995.83 (T76.21XA)** Initial encounter
- 995.83 (T76.21XD)** Subsequent encounter

Other Circumstances Related to Spouse or Partner Violence, Sexual (720)

- V61.11 (Z69.81)** Encounter for mental health services for victim of spouse or partner violence, sexual
- V15.41 (Z91.410)** Personal history (past history) of spouse or partner violence, sexual
- V61.12 (Z69.12)** Encounter for mental health services for perpetrator of spouse or partner violence, sexual

Spouse or Partner, Neglect (721)

Spouse or Partner Neglect, Confirmed (721)

- 995.85 (T74.01XA)** Initial encounter
- 995.85 (T74.01XD)** Subsequent encounter

Spouse or Partner Neglect, Suspected (721)

- 995.85 (T76.01XA)** Initial encounter
- 995.85 (T76.01XD)** Subsequent encounter

Other Circumstances Related to Spouse or Partner Neglect (721)

- V61.11 (Z69.11)** Encounter for mental health services for victim of spouse or partner neglect
- V15.42 (Z91.412)** Personal history (past history) of spouse or partner neglect
- V61.12 (Z69.12)** Encounter for mental health services for perpetrator of spouse or partner neglect

Spouse or Partner Abuse, Psychological (721)

Spouse or Partner Abuse, Psychological, Confirmed (721)

- 995.82 (T74.31XA)** Initial encounter
- 995.82 (T74.31XD)** Subsequent encounter

Spouse or Partner Abuse, Psychological, Suspected (721)

- 995.82 (T76.31XA)** Initial encounter
- 995.82 (T76.31XD)** Subsequent encounter

Other Circumstances Related to Spouse or Partner Abuse, Psychological (721)

- V61.11 (Z69.11)** Encounter for mental health services for victim of spouse or partner psychological abuse

- V15.42 (Z91.411)** Personal history (past history) of spouse or partner psychological abuse
- V61.12 (Z69.12)** Encounter for mental health services for perpetrator of spouse or partner psychological abuse

Adult Abuse by Nonspouse or Nonpartner (722)

Adult Physical Abuse by Nonspouse or Nonpartner, Confirmed (722)

995.81 (T74.11XA) Initial encounter

995.81 (T74.11XD) Subsequent encounter

Adult Physical Abuse by Nonspouse or Nonpartner, Suspected (722)

995.81 (T76.11XA) Initial encounter

995.81 (T76.11XD) Subsequent encounter

Adult Sexual Abuse by Nonspouse or Nonpartner, Confirmed (722)

995.83 (T74.21XA) Initial encounter

995.83 (T74.21XD) Subsequent encounter

Adult Sexual Abuse by Nonspouse or Nonpartner, Suspected (722)

995.83 (T76.21XA) Initial encounter

995.83 (T76.21XD) Subsequent encounter

Adult Psychological Abuse by Nonspouse or Nonpartner, Confirmed (722)

995.82 (T74.31XA) Initial encounter

995.82 (T74.31XD) Subsequent encounter

Adult Psychological Abuse by Nonspouse or Nonpartner, Suspected (722)

995.82 (T76.31XA) Initial encounter

995.82 (T76.31XD) Subsequent encounter

Other Circumstances Related to Adult Abuse by Nonspouse or Nonpartner (722)

V65.49 (Z69.81) Encounter for mental health services for victim of nonspousal adult abuse

V62.83 (Z69.82) Encounter for mental health services for perpetrator of nonspousal adult abuse

Educational and Occupational Problems (723)

Educational Problems (723)

V62.3 (Z55.9) Academic or Educational Problem (723)

Occupational Problems (723)

V62.21 (Z56.82) Problem Related to Current Military Deployment Status (723)

V62.29 (Z56.9) Other Problem Related to Employment (723)

Housing and Economic Problems (723)

Housing Problems (723)

V60.0 (Z59.0) Homelessness (723)

V60.1 (Z59.1) Inadequate Housing (723)

- V60.89 (Z59.2)** Discord With Neighbor, Lodger, or Landlord (723)
- V60.6 (Z59.3)** Problem Related to Living in a Residential Institution (724)

Economic Problems (724)

- V60.2 (Z59.4)** Lack of Adequate Food or Safe Drinking Water (724)
- V60.2 (Z59.5)** Extreme Poverty (724)
- V60.2 (Z59.6)** Low Income (724)
- V60.2 (Z59.7)** Insufficient Social Insurance or Welfare Support (724)
- V60.9 (Z59.9)** Unspecified Housing or Economic Problem (724)

Other Problems Related to the Social Environment (724)

- V62.89 (Z60.0)** Phase of Life Problem (724)
- V60.3 (Z60.2)** Problem Related to Living Alone (724)
- V62.4 (Z60.3)** Acculturation Difficulty (724)
- V62.4 (Z60.4)** Social Exclusion or Rejection (724)
- V62.4 (Z60.5)** Target of (Perceived) Adverse Discrimination or Persecution (724)
- V62.9 (Z60.9)** Unspecified Problem Related to Social Environment (725)

Problems Related to Crime or Interaction With the Legal System (725)

- V62.89 (Z65.4)** Victim of Crime (725)
- V62.5 (Z65.0)** Conviction in Civil or Criminal Proceedings Without Imprisonment (725)
- V62.5 (Z65.1)** Imprisonment or Other Incarceration (725)
- V62.5 (Z65.2)** Problems Related to Release From Prison (725)
- V62.5 (Z65.3)** Problems Related to Other Legal Circumstances (725)

Other Health Service Encounters for Counseling and Medical Advice (725)

- V65.49 (Z70.9)** Sex Counseling (725)
- V65.40 (Z71.9)** Other Counseling or Consultation (725)

Problems Related to Other Psychosocial, Personal, and Environmental Circumstances (725)

- V62.89 (Z65.8)** Religious or Spiritual Problem (725)
- V61.7 (Z64.0)** Problems Related to Unwanted Pregnancy (725)
- V61.5 (Z64.1)** Problems Related to Multiparity (725)
- V62.89 (Z64.4)** Discord With Social Service Provider, Including Probation Officer, Case Manager, or Social Services Worker (725)
- V62.89 (Z65.4)** Victim of Terrorism or Torture (725)
- V62.22 (Z65.5)** Exposure to Disaster, War, or Other Hostilities (725)
- V62.89 (Z65.8)** Other Problem Related to Psychosocial Circumstances (725)
- V62.9 (Z65.9)** Unspecified Problem Related to Unspecified Psychosocial Circumstances (725)

Other Circumstances of Personal History (726)

V15.49 (Z91.49) Other Personal History of Psychological Trauma (726)

V15.59 (Z91.5) Personal History of Self-Harm (726)

V62.22 (Z91.82) Personal History of Military Deployment (726)

V15.89 (Z91.89) Other Personal Risk Factors (726)

V69.9 (Z72.9) Problem Related to Lifestyle (726)

V71.01 (Z72.811) Adult Antisocial Behavior (726)

V71.02 (Z72.810) Child or Adolescent Antisocial Behavior (726)

Problems Related to Access to Medical and Other Health Care (726)

V63.9 (Z75.3) Unavailability or Inaccessibility of Health Care Facilities (726)

V63.8 (Z75.4) Unavailability or Inaccessibility of Other Helping Agencies (726)

Nonadherence to Medical Treatment (726)

V15.81 (Z91.19) Nonadherence to Medical Treatment (726)

278.00 (E66.9) Overweight or Obesity (726)

V65.2 (Z76.5) Malingering (726)

V40.31 (Z91.83) Wandering Associated With a Mental Disorder (727)

V62.89 (R41.83) Borderline Intellectual Functioning (727)